


High performance without efforts




BFS 16 BFS 18(D) BFS 20(D)

Excellent cutting performance
with compact dimensions,
a light design and
enormous power reserves



- Adjustable rubber dumped handles reduce transport/storage space, and offer some operator customization
- Cutting depth control crank handle has a lock to set the cutting at a certain depth
- With central lifting hook for easy lifting of the machine using cranes or fork lifts
- Strengthened steel frame provides full protection of the engine
- With central lifting hook for easy lifting of the machine using cranes or fork lifts
- One touch blade guard due to the hinge the blade guard can instantly and easily be opened anytime without any tools
- Mud flaps scrape debris and mud during cutting
- Very large water tank for longer continued operation



WACKER NEUSON

Gasoline Floor Saws

BFSX 18D BFSX 20D


Item Number: 0630133
0630134

BFSX BFSX

Higher performance without effort!

»» These floor saws are uncompromising. They combine an excellent cutting performance with compact dimensions and a light design, thus making their weight of hardly any importance during transport.

The engines on the other hand are extremely impressive, as they run tenaciously and with reliability even under the most difficult conditions due to their enormous power reserves. ««



ADDITIONAL ADVANTAGES:

- Adjustable rubber damped handles reduce transport/storage space, and offer some operator adjustment.
- Grab handles at the front for lifting on/off a truck for instance.
- Strengthened steel frame provides full protection of the engine.
- With central lifting hook for easy lifting of the machine using cranes or fork lifts.
- Mechanical semi-self propelled drive control for smooth forward and backward operation.
- Engine throttle control lever located conveniently near the console for easy and safe access.
- Very large water tank for continued operation.
- Cutting depth control crank handle has a lock to set the cutting at a certain depth.
- A drain valve at the water tank allows for easy disposal of excess water without tools.



**WACKER
NEUSON**

Technical Data	Unit	BFSX 18D	BFSX 20D
Dry weight (without water/fuel)	kg	128	129
Operating weight	kg	153	154
Length x width x height (handle not extended)	mm	1045 x 556 x 1045	1070 x 556 x 1045
Blade diameter	mm	305-450	305-500
Arbor diameter	mm	25.4	25.4
Nominal blade speed	rev/min	2676	2676
Max. cutting depth	mm	(450 mm/18 in. diameter blade) 175	(500 mm/20 in. diameter blade) 200
Water tank capacity	l	45	45
Engine type		Air-cooled, single cylinder, 4-cycle gasoline engine	
Engine model		Wacker Neuson WM400	
Displacement	cm ³	404	404
Max. output power	kW (hp)	10.3 (14) (SAE J1995)	10.3 (14) (SAE J1995)
Rated Speed	rpm	3600	3600
Fuel type		Gasoline	Gasoline
Fuel consumption	l/hr	1.75	1.75
Fuel tank capacity	liters	7.0	7.0
Starter		Recoil	Recoil

Standard Package


Gasoline Floor Saws
BFSX 18D
BFSX 20D

includes water tank,
2 open-ended spanners,
operator's manual and
parts book

Model Guide

B = Gasoline
FS = Floor saw
18, 20 = Blade diameter (inches)
D = Drive, semi-self propelled

A wide range of accessories are available upon request.



Specifications may change due to continuous product development.