


Indian Patent No. 186376

# Nomadic Light Towers

Reduce No. of Light Towers  
Use ASKA Light Fittings

Unbelievable light spread and  
Long Range Area Coverage



**RUGGED | DURABLE | RELIABLE**

## Portable Mobile Light Towers



Cat No.: NLT 9

## Aska NLT-9 Nomadic Light Towers

### Exclusive Features

- ❑ The tower height is 9 meters (30ft) at full extension for excellent illumination at long distances with Stainless Steel Reflector.
- ❑ Dual self-braking, designed for fast and easy tower erection and extension with 4 sections.
- ❑ 360 degree tower rotation to provide pin-point light positioning at your work site.
- ❑ 4x 400 Watts of light - enough to illuminate 7-1/2 acres with Metal Halide lamps or Soduim Vapour lamps(optional).
- ❑ Long Range, weatherproof stainless steel reflector for durability & 5 years guarantee for reflector's reflectivity.
- ❑ Cabinet is protected with a durable, fade resistant, yellow powder coat finish.
- ❑ Quiet 73 dBA sound levels at 1 meter from acoustic enclosure.
- ❑ Excellent fuel economy providing up to 64 hours of run time per tank of fuel.
- ❑ Maintenance-friendly electrical assemblies make troubleshooting, service and repair easy.
- ❑ 2 cylinder diesel engine powers a brushless self regulated type generator.
- ❑ Engine protection includes high water temperature and low oil pressure shutdowns.
- ❑ Light fixtures mount securely on mast for travel or can be left on cross arm.
- ❑ 4 lifting eye hooks make unit easier to load and unload.
- ❑ Light fixtures plug into weatherproof sockets (Plug in & Plug out) with IP-54 rating.
- ❑ Spring loaded pin-automatically locks 360° rotatable towers in upright position.
- ❑ AC plugin socket available for direct usage.

Make	ASKA NLT-9
Specification	9 Mtr Height
Lamps	Metal halide 4 x 400 Watt
Generator	Brushless 6KVA
Engine	Mitsubishi Heavy Industries, 11 hp, 3000 rpm, 2 cylinder, diesel, water cooled
Fuel capacity	26.40 gal (100 L)
Wheel size	15" (38 cm) Make CEAT/Birla
Axle rating	4409 lbs (2000 kgs)
Tongue weight travel position	110 lbs (50 kg)
Total weight no fuel	2117 lbs (980 kg)
Fuel Consumption	1.5 Ltr. / hour



# Special Features



1. Four Stainless Steel Flood light's with 550 mm diameter and with pilfer proof bolting.



2. Emergency stop push button on enclosure in case of immediate switch off the light tower.  
3. 360 degree rotation in erected position, with rotating lock.



4. IP-54, easy plug in-plug out socket's for light fittings, with UV protected conduits on the wires for long life.



5. CEAT/Birla branded tyres



6. Rugged-column post for 4 tower sections, with telescopic winch.



7. Lockable doors for remote areas.  
8. Preventive maintenance schedule for operators.



9. Engineered Acoustic foam with 140 kg/m<sup>3</sup> density which is dust & fibre free for dusty site conditions for longest durability & life. It does not catches fire.



10. Side support legs with adjustable height & inbuilt operating handle.



11. Height adjustable toeing-hook suitable for pick up vehicles.



12. Mitsubishi Heavy Industries (India) 2 Cylinder Diesel Engine



13. Cabin-Light for night working



14. Single Control Panel with ESU, Hour meter, Fuel meter, Heater switch, cabin light, Individual MCB for light Control.



**aska**<sup>®</sup>  
ASKA SAFETY DEVICES  
www.lighttower.in

### ASKA SAFETY DEVICES

Corp. Off : Aska House, 193, Deepali, Deepali Chowk, Outer Ring Road,  
Pitampura, New Delhi – 110 034 (India)  
Ph: +91 11 27014416 / 27014417, Fax: 27014413, Email: info@lighttower.in

Registered



Decide with Confidence

Sales & Service Centres

MUMBAI | HYDERABAD | LUCKNOW | AHMEDABAD | NAGPUR | KOLKATA | DHANBAD | CHENNAI | BANGALORE | CHANDIGARH | JAMMU | GUWAHATI | COIMBATORE

Note : \* Product's specifications and information in brochure are subject to change without notice.  
\* Standard features and options may vary in some models. \* All dimension & weights are subjects to tolerance of ±10%